



Erratum

In the “Elasticity modulus and damping ratio of macaw palm rachillas“ published in *Ciência Rural*, volume 47, number 2, DOI <http://dx.doi.org/10.1590/0103-8478cr20160289>.

In the Abstract, where it reads:

The average modulus of elasticity ranged from 2.22 to 3.17MPa

Read it:

The average modulus of elasticity ranged from 194 to 293.3MPa

In the Resumo, where it reads:

O módulo de elasticidade médio ficou entre 2,22 e 3,17MPa

Read it:

O módulo de elasticidade médio ficou entre 194 e 293,3MPa


In the Results and Discussion, where it reads:

Modulus of elasticity presented a CV greater than 10% for all accessions, reaching 40.33%


Read it:

Modulus of elasticity presented a CV greater than 10% for all accessions, reaching 31.4%

Where it reads:



Read it:



Where it reads:

Table 1 - Statistical description of the characteristic dimensions of the fruit and rachillas: mass, volume, and specific mass of the rachillas; and mass, volume, and specific mass of the fruit, based on the overall average of all accessions.

	a (mm)	b (mm)	c (mm)	d (mm)
Average	43.29	42.85	41.07	3.74
Standard deviation	3.38	3.48	3.55	0.48
CV (%)	7.80	8.13	8.64	12.94
	m_r (g)	V_r (cm ³)	ρ_r (gcm ⁻³)	
Average	2.32	3.65	0.65	
Standard deviation	0.67	0.82	0.20	
CV (%)	28.92	22.34	30.11	
	m_f (g)	V_f (cm ³)	ρ_f (gcm ⁻³)	
Average	44.38	4.06	1.10	
Standard deviation	10.63	0.98	0.09	
CV (%)	23.95	24.17	8.35	

a- largest dimension of the fruit; b-intermediate dimension of the fruit; c- smallest dimension of the fruit; d-average dimension of the rachillas; CV-coefficient of variation; m_r - average mass of rachillas; V_r - average volume of rachillas; ρ_r - average specific mass of rachillas; m_f - average mass of fruit; V_f - average volume of fruit; ρ_f - average specific mass of fruit.

Read it:

Table 1 - Statistical description of the characteristic dimensions of the fruit and rachillas: mass, volume, and specific mass of the rachillas; and mass, volume, and specific mass of the fruit, based on the overall average of all accessions.

	a (mm)	b (mm)	c (mm)	d (mm)
Average	43.29	42.85	41.07	3.74
Standard deviation	3.38	3.48	3.55	0.48
CV (%)	7.80	8.13	8.64	12.94
	m_r (g)	V_r (cm ³)	ρ_r (gcm ⁻³)	
Average	2.32	3.65	0.65	
Standard deviation	0.67	0.82	0.20	
CV (%)	28.92	22.34	30.11	
	m_f (g)	V_f (cm ³)	ρ_f (gcm ⁻³)	
Average	44.38	40.06	1.10	
Standard deviation	10.63	0.98	0.09	
CV (%)	23.95	24.17	8.35	

a- largest dimension of the fruit; b-intermediate dimension of the fruit; c- smallest dimension of the fruit; d-average dimension of the rachillas; CV-coefficient of variation; m_r - average mass of rachillas; V_r - average volume of rachillas; ρ_r - average specific mass of rachillas; m_f - average mass of fruit; V_f - average volume of fruit; ρ_f - average specific mass of fruit.

Where it reads:

Table 2 - Statistical description of the modulus of elasticity for accessions BD 27, BD 40, BGP 29 and BGP 35.

	-----E (MPa)-----				
	BD 27	BD 40	BGP 29	BGP 35	All accessions
	2.95	3.02	3.17	2.22	2.84
Standard deviation	0.52	0.98	0.85	0.89	0.91
CV (%)	17.73	32.42	26.88	40.33	32.00

E – Modulus of elasticity; CV – coefficient of variation; BD 27 – accession from Abaeté/ MG; BD 40 – accession from Pitangui-Martinho Campos/ MG; BGP 29 – accession from de Prudente de Moraes Matozinhos/ MG; BGP 35 – accession from Mirandópolis/ SP.

Read it:

Table 2 - Statistical description of the modulus of elasticity for accessions BD 27, BD 40, BGP 29 and BGP 35.

	-----E (MPa)-----				
	BD 27	BD 40	BGP 29	BGP 35	All accessions
	238.9	260.7	293.3	194	246.9
Standard deviation	38.4	62.7	81.4	60.9	72.4
CV (%)	16.1	24.1	27.7	31.4	29.3

E – Modulus of elasticity; CV – coefficient of variation; BD 27 – accession from Abaeté/ MG; BD 40 – accession from Pitangui-Martinho Campos/ MG; BGP 29 – accession from de Prudente de Moraes Matozinhos/ MG; BGP 35 – accession from Mirandópolis/ SP.