

Erratum

Revista da Sociedade Brasileira de Medicina Tropical/Journal of the Brazilian Society of Tropical Medicine
Vol.50(5): Table 2 - page 600, September-October, 2017 - doi: 10.1590/0037-8682-0258-2017

TABLE 2
Demographic and clinical characteristics of PLH without the use of ART according to sex and diagnosis of dyslipidemia

Characteristic	Total	Men	Women	p-value	Patients with dyslipidemia	Patients without dyslipidemia	p-value
	n (%)	n (%)	n (%)		n (%)	n (%)	
Sex		-	-				
female	21 (24.1)	-	-		7 (23.3)	14 (24.6)	0.89^a
male	66 (75.9)	-	-		23 (76.7)	43 (75.4)	
total	87 (100.0)	-	-		30 (100.0)	57 (100.0)	
Age (years)							
mean	36.57	35.58	39.71	0.05^b	33.63	38.12	0.03^b
SD	(9.38)	(9.70)	(7.63)		(9.04)	(9.25)	
Schooling							
illiterate	3 (3.5)	1 (1.5)	2 (9.5)	0.05^c	1 (3.3)	2 (3.5)	0.26^c
elementary school	16 (18.4)	10 (15.2)	6 (28.6)		2 (6.7)	14 (24.6)	
high school	43 (49.4)	32 (48.5)	11 (52.4)		18 (60)	25 (43.9)	
higher education	25 (28.7)	23 (34.8)	2 (9.5)		9 (30)	16 (28.0)	
Hypertension							
yes	13 (14.9)	10 (15.2)	3 (14.3)	0.20^c	6 (20)	7 (12.3)	0.22^a
no	74 (85.1)	56 (84.8)	18 (85.7)		24 (80)	50 (87.7)	
DM							
yes	2 (2.3)	1 (1.5)	1 (4.8)	0.38^c	0 (0)	2 (3.5)	0.29^c
no	85 (97.7)	65 (98.5)	20 (95.2)		30 (100)	55 (96.5)	
Fasting glycemia							
yes	7 (8)	3 (4.5)	4 (19)	0.03^c	1 (3.3)	6 (10.5)	0.24^c
no	80 (92)	63 (95.5)	17 (81)		29 (96.7)	51 (89.5)	
Smoking							
yes	26 (29.9)	20 (30.3)	6 (28.6)	0.88^a	5 (16.7)	21 (36.8)	0.05^a
no	61 (70.1)	46 (69.7)	15 (71.4)		25 (83.3)	36 (63.2)	
Alcoholism							
yes	56 (64.4)	45 (68.2)	11 (52.4)	0.18^a	21 (70)	35 (61.4)	0.42^a
no	31 (35.6)	21 (31.8)	10 (47.6)		9 (30)	22 (38.6)	

PLH: people living with HIV; ART: antiretroviral therapy; SD: standard deviation; DM: diabetes mellitus; HIV: human immunodeficiency virus. ^aChi-square test. ^bStudents t-test. ^cFisher's exact test.

Should read:

TABLE 2
Demographic and clinical characteristics of PLH without the use of ART according to sex and diagnosis of dyslipidemia

Characteristic	Total	Men	Women	<i>p-value</i>	Patients without dyslipidemia	Patients with dyslipidemia	<i>p-value</i>
	n (%)	n (%)	n (%)		n (%)	n (%)	
Sex		-	-				
female	21 (24.1)	-	-		7 (23.3)	14 (24.6)	0.89^a
male	66 (75.9)	-	-		23 (76.7)	43 (75.4)	
total	87 (100.0)	-	-		30 (100.0)	57 (100.0)	
Age (years)							
mean	36.57	35.58	39.71	0.05^b	33.63	38.12	0.03^b
SD	(9.38)	(9.70)	(7.63)		(9.04)	(9.25)	
Schooling							
illiterate	3 (3.5)	1 (1.5)	2 (9.5)	0.05^c	1 (3.3)	2 (3.5)	0.26^c
elementary school	16 (18.4)	10 (15.2)	6 (28.6)		2 (6.7)	14 (24.6)	
high school	43 (49.4)	32 (48.5)	11 (52.4)		18 (60)	25 (43.9)	
higher education	25 (28.7)	23 (34.8)	2 (9.5)		9 (30)	16 (28.0)	
Hypertension							
yes	13 (14.9)	10 (15.2)	3 (14.3)	0.20^c	6 (20)	7 (12.3)	0.22^a
no	74 (85.1)	56 (84.8)	18 (85.7)		24 (80)	50 (87.7)	
DM							
yes	2 (2.3)	1 (1.5)	1 (4.8)	0.38^c	0 (0)	2 (3.5)	0.29^c
no	85 (97.7)	65 (98.5)	20 (95.2)		30 (100)	55 (96.5)	
Fasting glycemia							
yes	7 (8)	3 (4.5)	4 (19)	0.03^c	1 (3.3)	6 (10.5)	0.24^c
no	80 (92)	63 (95.5)	17 (81)		29 (96.7)	51 (89.5)	
Smoking							
yes	26 (29.9)	20 (30.3)	6 (28.6)	0.88^a	5 (16.7)	21 (36.8)	0.05^a
no	61 (70.1)	46 (69.7)	15 (71.4)		25 (83.3)	36 (63.2)	
Alcoholism							
yes	56 (64.4)	45 (68.2)	11 (52.4)	0.18^a	21 (70)	35 (61.4)	0.42^a
no	31 (35.6)	21 (31.8)	10 (47.6)		9 (30)	22 (38.6)	

PLH: people living with HIV; ART: antiretroviral therapy; SD: standard deviation; DM: diabetes mellitus; HIV: human immunodeficiency virus. ^aChi-square test. ^bStudents t-test. ^cFisher's exact test.